# The PDB and Molecular Visualization

Biochemistry Boot Camp Session #7 Nick Fitzkee nfitzkee@chemistry.msstate.edu

# Properties of PDB Files

- Experimental methodology:
  - X-Ray: Typically more precise
  - NMR: Need lots of "restraints;" sometimes hard to assess quality
- Most PDB files are solved using X-ray crystallography
  - 105,000 structures total
  - 89,000 are crystal structures

# **Building an X-Ray Structure**




Figure 6.31 Effect of refinement on structure. The guanine nucleotide of a DNA fragment is shown with its electron density map prior to refinement and after refinement. Prior to refinement, the R factor is 31%. The structure is refined against the data to an R factor of 20%, which is one criterion of a good fit of the model to the data.

- At first: look for gross structural features (helix, backbone), then add side chains
- Molecular mechanics are used to help refine positions

## **Guidelines for X-Ray Quality**

• R-factor: Less than 25% (ideally, less than 20%)

• R-Free: Bigger than R, but smaller than 25%

 Resolution: Less than 2.5 Å, but think about how much you need (1.5 Å usually very good)

- At ~1 Å hydrogens become visible

Validation: No clashes, good torsions, etc.


• Water: 2-5 molecules / kDa

### Protein Data Bank Revisited

- http://rcsb.org/
- Input: Protein name, PDB ID, authors, etc.
- Output: 3D coordinates of protein structures
  - Author information on methods
  - Cofactors and other information

5

#### Assessing a Crystal Structure: 3TJW Metric Percentile Ranks Value Clashscore Ramachandran outliers Sidechain outliers RSRZ outliers Percentile relative to all X-ray structures Percentile relative to X-ray structures of similar resolution Method: X-RAY DIFFRACTION Exp. Data: Structure Factors EDS ♂ · PDB contains a lot of useful Resolution[Å]: 👔 1.46 information for determining how 0.152 (obs.) R-Free: 0.190 good a crystal structure is Space Group: F 2 2 2 2 2 Unit Cell: Length [Å] Angles [°] • Things to look at: R, R<sub>free</sub>, a = 38.66a = 90.00b = 88.11 $\beta = 90.00$ resolution, structure validation c = 88.66v = 90.00



PDB Files: A Second Look

# **Obtaining PyMOL**

- Do <u>NOT</u> use the most recent educational release (1.7.4.4). It's buggy, and critical features (like ray tracing) are disabled.
- Older educational builds can be obtained by registering at:

http://www.pymol.org/educational/

• I recommend version 1.3r1, although some features are still buggy (e.g. torsion angle calculation)

9

# **Obtaining PyMOL**

- For Boot Camp, you can download PyMOL versions here (version 1.3r1):
- Windows: <a href="http://goo.gl/0mRH20">http://goo.gl/0mRH20</a>
   Mac: <a href="http://goo.gl/U68Hoc">http://goo.gl/U68Hoc</a>
   Linux: <a href="http://goo.gl/HMZvPU">http://goo.gl/HMZvPU</a>
- PyMOL is open source, and an alternative is downloading compiled versions on Linux (e.g. "apt-get install pymol" on debian-based systems)

LO

# Summary

- PDB files are complex models, derived from experimental data
  - Need to assess these models, too
- Atom names and properties are stored in the PDB, can be used to investigate structures
- PyMOL can make interesting pictures, but it is also a very powerful analytical tool